




**PEDRALI**

## Chart of categories and materials

### Guida alle tipologie e ai materiali



## Legend Legenda



All dimensions are expressed in millimeters  
Tutte le dimensioni sono espresse in millimetri



Product suitable for outdoor use  
Prodotto adatto per utilizzo in esterni



Product not recommended for outdoor use  
Prodotto non adatto per utilizzo in esterni



Declaration of European conformity  
Dichiarazione di conformità Europea

# Lighting index

## Indice lampade

PRODUCT NAME NOME PRODOTTO	PAGE PAGINA	PRODUCT NAME NOME PRODOTTO	PAGE PAGINA
<b>Colette</b>	034	<b>L002</b>	118
L003TA TABLE	038	<b>L002 CW</b> SUSPENSION	140
L003TB TABLE	040	<b>L002 S</b> SUSPENSION	126
<b>Giravolta</b>	010	<b>L002 ST</b> FLOOR	130
<b>1799</b> TABLE	016	<b>L002 SW</b> SUSPENSION	128
<b>1799/50</b> TABLE	020	<b>L002 T</b> FLOOR	132
<b>1799/130</b> FLOOR	022	<b>L002 W</b> WALL	129
<b>Happy Apple</b>	170	<b>L004</b>	144
<b>330, 331, 332</b> FLOOR	178	<b>L004 CW</b> SUSPENSION	159
<b>330A</b> WALL	189	<b>L004 S</b> SUSPENSION	149
<b>330E - 331E</b> SUSPENSION / FLOOR	177	<b>L004 SW</b> SUSPENSION	150
<b>332E</b> FLOOR	180	<b>L004 W</b> WALL	151
<b>330S, 331S</b> SUSPENSION	174	<b>Tamara</b>	048
<b>Isotta</b>	066	<b>L005 S</b> SUSPENSION	052
<b>L007 S/A</b> SUSPENSION	068	<b>Time Out</b>	162
<b>L001</b>	076	<b>TO.BE</b>	058
<b>L001 CW</b> SUSPENSION	101	<b>L006 S</b> SUSPENSION	080
<b>L001 S</b> SUSPENSION	084	<b>L006 SW</b> SUSPENSION	059
<b>L001 ST</b> FLOOR	084		
<b>L001 SW</b> SUSPENSION	088		
<b>L001 T</b> FLOOR	098		
<b>L001 TA</b> TABLE	090		
<b>L001 W</b> WALL	092		

“Light is warm,  
light is cold,  
light gives atmosphere,  
light decorates,  
light creates intimacy”

ALBERTO BASAGLIA NATALIA ROTA NODARI

“La luce è calda,  
la luce è fredda,  
la luce fa atmosfera,  
la luce arreda,  
la luce crea intimità”

# Giravolta

The wireless outdoor lighting

DESIGN

Alberto Basaglia - Natalia Rota Nodari, 2017

« — Inspired by lanterns of times past, it is a wireless lighting distinguished by a contemporary design and suitable for outdoor environments. The name reflects its essence: the swivelling diffuser and the rechargeable feature recalls the great inventor Alessandro Volta and his main discovery, the battery.

« — Ispirata alle lanterne di un tempo, Giravolta è una lampada wireless ricaricabile dal design contemporaneo, adatta per l'outdoor. Nel nome tutta la sua essenza: da un lato il suo diffusore orientabile, dall'altro il suo essere ricaricabile da cui il riferimento ad Alessandro Volta e alla sua principale invenzione, la pila.



Lighting lampade Giravolta.  
Lounge armchair pedrinola lounge Babila Comfort.  
Pouf Buddy.  
Coffee table table Buddy.  
Cushion pouf Social Plus.







# Lighting

## Lampada


Touch control  
and three light  
intensities  
disponibile con  
di accensione,  
regolazione di tre  
diverse intensità  
lampadose e  
spegnimento


Lithium battery:  
over 8 hours operating time  
Batteria al litio  
durata per oltre 8 ore

80 LED light source  
2W, 3000 K

1799







## #PedraliBacktoNature

Salone del Mobile.Milano 2023  
Milan, Italy

Project: Exhibition stand

Architect and Styling: DWA Design Studio

Products: Souvenir side chair and armchair,  
Eliott table, Heves pot-holder, Giravolta lighting



## Caffè del Tasso


Piazza Vecchia  
Bergamo, Italy

**Project:** Café & Restaurant  
**Products:** Giravolta lighting, No lità side chair, armchair, barstool and table, Liberty table, Anasrmchair, Glam chair

## Landscape Festival

I Maestri del Paesaggio 2022  
Bergamo, Italy

**Project:** Outdoor  
**Products:** Giravolta lighting,  
No lità Sofa, Caermentum coffee table





## Bohem La Stazione

Paratico, Italy

Project: Florist, Café & Restaurant

Products: Gimvoita lighting

Tweetle armchair, Inox table, Log armchair,

No!ta armchair, chaise-longue and table







## Temporary installation

Paratico, Italy

Project: Outdoor  
Products: Giravolta lighting,  
Intrigo armchair, Laja table





## Green Design

Città Alta,  
Bergamo, Italy

Project: Temporary installation

Products: Giravolta lighting,  
Tribeca side chair, armchair,  
lounge armchair and  
sofa, No lits table





## Host 2019

Milan, Italy

**Project:**  
Exhibition stand


**Architect:**  
Calvi Brambilla

**Products:** Giravolta  
lighting, Tribeca side  
chair, Nolita table

### SIZES / DIMENSIONI


**1799**

Wireless polypropylene  
and aluminium lighting




**1799/50**

Wireless polypropylene  
and aluminium lighting



**1799/130**

Wireless polypropylene  
and aluminium lighting



**1799\_MGN\_10**

Magnet Mt. suitable for items  
1799 and 1799/50



### FINISHES / FINITURE

polypropylene and aluminium / polipropilene e alluminio



BI200E



NPE



BE200E



AR400E



GI100E



VE100E



RA100E

electrical features / caratteristiche elettriche

AWARDS / PREMI

- **Light:** LED ARRAY 2W/3.7V 500mA 3000K 157lm Class III
- **Battery:** Lithium battery (Li-Po), over 8 hours operating time
- **Cable:** black, length 1,3 mtrs, with micro USB cable and battery charger with Europlug type C (europlug 7/10), for indoor use



### CERTIFICATES / CERTIFICAZIONI

IEC 60598-2-4:2017 (Second Edition) used in conjunction with IEC 60598-1:2014 (Fourth Edition)  
EN 60335-1:2017 (Third Edition) with EN 60335-2-2019 (First edition) and EN 60335-2-17  
IEC 60598-2-4:2017 (Second Edition) used in conjunction with IEC 60598-1:2014 (Fourth Edition)  
EN 60335-2-1:2017 (Third Edition) with EN 60335-1:2019 (First edition) and EN 60335-2-17

IP65 Suitable for outdoor use / IP65 Adatto per uso esterno.



# Colette

Iconic light

DESIGN

Alberto Basaglia - Natalia Rota Nodari, 2013

**EN** — Colette is a table or bedside lamp in polycarbonate that stands out for its sculptural shapes and the colour. A translucent cylinder diffuses the light only in correspondence of the half-sphere. Its transparency gives lightness to the whole lamp.

**IT** — Colette è una lampada da tavolo o da comodino in polycarbonato che si esprime attraverso la plasticità delle forme e il colore. Un cilindro traslucido tenta di imprigionare la luce che si libera pienamente solo in corrispondenza della semisfera che con la sua trasparenza dona leggerezza all'intera lampada.





## Lighting Lampada









## Pedrali Solid Geometry

Salone Internazionale  
del Mobile 2017  
Milan, Italy

**Project:** Exhibition stand

**Architect:** CalviBimballa


**Products:** Colette LCC3TB lighting,  
Oblique bar counter

## Private house

Italy

Project: Private house

Products: Colette L003TB lighting,  
Code coffee table, Buddy sofa



## Industrial Simphony

Pedrali Headquarters,  
Mornico al Serio, Italy

Project: Showroom

Architect: CalviBrambilla

Products: Colette L003TB lighting,  
Oblique bar counter, Babila barstool





## Pedrali Light frames

Salone Internazionale  
del Mobile 2015  
Milan, Italy

Project: Exhibition stand

Architect: Migliore+Servetto Architects

Products: Colette LOO3TA Lighting, LOO15/BA lighting,

Ester side chair and armchair, Inox table,

Modus modular seating, Stylus table,

Malmö armchair, Tivoli side chair and armchair

### SIZES / DIMENSIONI

#### LOO3TA

Polycarbonate lighting



#### LOO3TB

Polycarbonate lighting



### FINISHES / FINITURE

polycarbonate / policarbonato

cable / cavo



BI

RT

LOO3TA  
only

FU

LOO3TA  
only

TR

BT

LOO3TA  
only

GT

LOO3TA  
only

TR

electrical features / caratteristiche elettriche

- Light LOO3TA: MAX 1X15W E14 220-240V 50/60 Hz IP20 Class II
- Light LOO3TB: MAX 1X32W E27 220-240V 50/60 Hz IP20 Class II

Light bulb included / Lampadina inclusa

### CERTIFICATES / CERTIFICAZIONI

IEC 60598-2-42:2017 used in conjunction with IEC 60598-1:2014, IVD1:2017  
EN 60335-2-69:2017 is used in conjunction with EN 60335-1:2017 - A1:2018 (test report N° 00220CE14 - N° 00040CE18)  
IEC 60598-2-4:2017 is used in conjunction with IEC 60335-1:2014, IVD1:2017  
EN 60335-2-69:2018 (test report number EN 60335-1-2014 - A1:2018) (test report N° 00030CE14 - N° 00030CE18)



# Tamara

## Roaring Twenties

DESIGN

Alberto Basaglia - Natalia Rota Nodari, 2019

en — Tamara is a suspension light that takes inspiration from the shape of the headlights of early twentieth-century automobiles, paying homage to Tamara de Lempicka, modernist painter, icon of elegance and charm, who in her famous self-portrait is behind the wheel of a green Bugatti.

it — Tamara è una lampada a sospensione che trae ispirazione dalla forma dei fari delle auto del primo Novecento, rendendo omaggio a Tamara de Lempicka, pittrice modernista, icona di eleganza e avanguardia che nel suo celebre autoritratto è alla guida di una Bugatti verde.



WORKING



EATING




## Lighting

### Lampada



Aluminium diffuser  
Diffusore in alluminio  
Ø 180 mm



Diffuser available in  
powder coated, satin  
brass or satin copper  
Diffusore verniciato,  
ottone satinato o  
rame satinato





## #PedraliPalaceofWonders

Maison & Objet 2020  
Paris, France

Project: Exhibition stand

Architect: CalviBrambilla

Products: Tamara lighting, Héra armchair, Inox table

## #pedralitales

Aleácer do Sal, Portugal

Project: 2020 ADW campaign

Products: Tamara lighting, Vic side chair, Inox coffee table



## #PedraliPalaceofWonders

Salone Internazionale  
del Mobile 2019  
Milan, Italy

Project: Exhibition stand

Architect: Calvi Brambilla

Products: Tamara lighting, Soul armchair, Babila table



### SIZES / DIMENSIONI

#### L0055/A

Suspension lamp with aluminum diffuser



### FINISHES / FINITURE

ceiling rose / rosone



RB

RN

aluminium / alluminio



OS

RM2

powder coated / verniciato



NEF

GA

BE200

BI200

RA200

TE

G200

VE100

Soft-touch

electrical features / caratteristiche elettriche

- Light L0055/A: MAX 1x23W E27 FBT 50-60Hz 220-240V IP20 Classe I

Light bulb included / Lampadina inclusa

### CERTIFICATES / CERTIFICAZIONI

IEC 60598-2-1:2019, AMD1:1997 used in combination with IEC 60598-1:2014, AMD1:2017  
EN 60598-2-1:1998 used in combination with EN 60598-1:2014 + A1:2018 (pending) + A2:2018  
IEC 60598-2-1:2019, AMD1:1997 used in combination with IEC 60598-1:2014, AMD1:2017  
EN 60598-2-1:1998 used in combination with EN 60598-1:2014 + A1:2018 (pending) + A2:2018



# TO.BE

## Essential shape

DESIGN  
Alberto Basaglia - Natalia Rota Nodari, 2019

en — TO.BE is a suspension light, ironically named to reflect its shape - a tube suspended in the air. An essential lamp, with a narrow cylinder in polycarbonate, white powder coated inside, available in a wide palette of colors outside, with a hole in the upper part of the diffuser that allows light to shine out and illuminate the ceiling.

it — TO.BE è una lampada a sospensione che nel nome richiama con ironia la sua forma: un tubo, sospeso nel nulla. Una lampada essenziale, composta da uno stretto cilindro in polycarbonato verniciato bianco all'interno e in una ampia palette di colori all'esterno. Uno sul filo nella parte superiore del diffusore che permette la fuoriuscita della luce illuminando il soffitto.



Lighting  
Lampada



Polycarbonate diffuser in  
powder coated pink brass finish  
Diffusore in polycarbonato  
verniciato ottone rosa

L0065W/B



## #PedraliPalaceofWonders

Salone Internazionale  
del Mobile 2019  
Milan, Italy

Project: Exhibition stand

Architect: CalviBrambilla

Products: TO BE L0065/A lighting, Folk chair  
and barstool, Malmó table, Giravola lighting





## #PedraliPalaceofWonders

Salone Internazionale  
del Mobile 2019  
Milan, Italy

**Project:** Exhibition stand

**Architect:** CaviBrambilla

**Products:** TO.BE L0065W/B lighting, Remind armchair,  
Modus modular seating, Stylus table, Elliot Table,  
Nymalide chair and armchair





## Downtown Design 2019

Dubai, UAE

**Project:** Exhibition stand

**Architects:** CaM Brambilla

**Products:** TOBE L006SW/B lighting,  
Elliot table, Esze side chair, arm chair and  
bag-rest pouf, Jazz armchair, Vic armchair,  
Hera armchair, Nym arm chair,  
Modus modular seating, Elliot table,  
Inox table, Jamaica armchair

### SIZES / DIMENSIONI

#### L006S/A

Suspension lamp with  
polycarbonate diffuser



#### L006SW/B

Suspension lamp with  
polycarbonate diffuser



### FINISHES / FINITURE

ceiling rose / rosone



powder coated / verniciato



### electrical features / caratteristiche elettriche

- Light L006S/A: MAX 1x23W E27 FBT 50-60Hz 220-240V IP20 Classe I
- Light L006SW/B: MAX 1x23W E27 FBT 50-60Hz 220-240V IP20 Classe II

Light bulb excluded / Lampadina esclusa

### CERTIFICATES / CERTIFICAZIONI

L006S/A  
IEC 60598-2-1:2015, AMD1:1987 used in conjunction with IEC 60598-1:2014, A VDS 2217  
EN 60598-2-1:2015 used in conjunction with EN 60598-1:2014, A1:2018 (with report N°04 SIREC 18)  
EN 60598-2-1:2015, AMD1:1987 used in conjunction with IEC 60598-1:2014, AMD1:2017  
EN 60598-2-1:1988 used in conjunction with EN 60598-1:2015, A1:2018 (with report N°04 SIREC 18)

L006SW/B  
IEC 60598-2-1:2015, AMD1:1987 used in conjunction with IEC 60598-1:2014 (English Edition)  
EN 60598-2-1:2015 used in conjunction with EN 60598-1:2015 (last report N°0104 SIREC 18 v1)  
EN 60598-2-1:2015, AMD1:1987 used in conjunction with IEC 60598-1:2014, AMD1:2017 (with report N°04 SIREC 18)  
EN 60598-2-1:1988 used in conjunction with EN 60598-1:2015, A1:2018 (with report N°0104 SIREC 18 v1)



# Isotta

## Roaring Twenties

DESIGN  
Alberto Basaglia - Natalia Rota Nodari, 2022

**EN**— Isotta is a small suspension lamp that draws inspiration from the shape of the headlights of early 20th century cars.

Made of aluminium powder-coated in different colours, Isotta stands out for its soft, enveloping shape.

Isotta is a versatile product that seamlessly fits in a variety of compositions, creating striking geometries and customising any setting.

**IT**— Isotta è una lampada a sospensione dalle dimensioni contenute che trae ispirazione dalla forma dei fari delle auto del primo Novecento. Realizzata in alluminio verniciato in diversi colori, si caratterizza per una forma morbida e avvolgente.

Isotta è un prodotto trasversale che può ispirare diverse composizioni al fine di creare geometrie e personalizzare l'ambiente all'interno del quale viene collocata.

WORKING





## Lighting

### Lampada



Diffuser available in matt powder  
coated, satin brass or satin copper  
Diffusore verniciato opaco, ottone  
satinato o rame satinato



Opaline polycarbonate duster  
Base a letto in polibarbonato opalino



Aluminium diffusor  
Diffusore in alluminio  
Ø 180 mm



## #PedraliBacktoNature

Salone del Mobile, Milano 2023  
Milan, Italy

**Project:** Exhibition stand

**Architect and Styling:** DWA Design Studio

**Products:** Isotta lighting, Jeff sofa,  
Blume coffee table, Ila lounge armchair,  
Lamortise armchair, Frank table,  
Girovoita lighting





## #PedraliNewHorizons

Salone del Mobile, Milano 2022  
Milan, Italy

Project: Exhibition stand

Architect: Calvi Brambilla

Styling: Studio Salaris

Products: Isotta lighting, Elnor table

### SIZES / DIMENSIONI

#### L007S/A

Suspension lamp with  
aluminium diffuser



### FINISHES / FINITURE

ceiling rose / rosone



Ø 100

Ø 100

RB

RN

aluminium / alluminio



OS

RM2

powder coated / verniciato



NEF

GA

BE200

BI200

RA200

TE

G200

VE100

Soft-touch

electrical features / caratteristiche elettriche

- Light L007S/A: MAX 1x23W E27 FBT 50-60Hz 220-240V IP20 Classe I

Light bulb included / Lampadina inclusa

### CERTIFICATES / CERTIFICAZIONI

IEC 60598-2-1:2019, AMD1:1997 used in combination with IEC 60598-1:2014, AMD1:2017  
EN 60598-2-1:1998 used in combination with EN 60598-1:2015 + A1:2018 (approved by N0263:CE) and  
IEC 60598-2-1:2019, AMD1:1997 used in combination with IEC 60598-1:2014, AMD1:2017  
EN 60598-2-1:1998 used in combination with EN 60598-1:2015 + A1:2018 (approved by N0263:CE)



# L001

## Lighting time

DESIGN

Alberto Basaglia - Natalia Rota Nodari, 2009

EN — L001 is a collection of indoor lamps with a iconic design consisting of two polycarbonate diffusers, thanks to its modularity creates up to five different combinations. An aery atmosphere made possible by a translucent diffuser as the glass, but with the features of moulded polycarbonate.

IT — L001 è una collezione di lampade indoor dal design rigoroso composta da elementi, tra i quali due diffusori in polycarbonato capaci di creare fino a cinque diverse combinazioni. Un'atmosfera eterea resa possibile da un diffusore traslucido come il vetro, ma con tutte le qualità del polycarbonato stampato.





MEETING



LOUNGING



Lighting lampada L0015W/A  
Side chair sedia Osaka  
Armchair poltrona Osaka  
Modular seating seduta modulare Modus  
Table tavolo lineax






## Lighting Lampada



Polycarbonate diffuser,  
white glossy finish  
Diffusore in polycarbonato,  
finitura bianco lucido









WALL / DA PARETE



Polycarbonate diffuser,  
matte black lacquered  
Diffusore in policarbonato  
laccato nero opaco.

WALL / DA PARETE



Steel tube frame  
Telaio in tubo di acciaio









L001T/B



Footswitch  
Accessorie a pedale

L001T/BA

## #pedralitales

Antwerp, Belgium

Project: 2021 ADV campaign

Products: Blume side chair,  
Aerotable, L001 lighting



## Transparent atmospheres

IMM 2018

Cologne, Germany

Project: Exhibition stand

Architect: CalviBrambilla

Products: L0015W/5A lighting,

Fox armchair, Babila table



## Pedrali Solid Geometry

Salone Internazionale

del Mobile 2017

Milan, Italy

Project: Exhibition stand

Architect: CalviBrambilla

Products: L001CW/AA and L0015T/B

lighting, Arki-Table, Babila armchair

## Industrial Symphony

Pedrali Headquarters,  
Mornico al Serio, Italy

Project: Showroom

Architect: CalviBrambilla

Products: L001CW/AA Lighting,  
Jazz barstool, Iron table



## Cadebasi Franciacorta

Erbusco, Italy

Project: Café & Restaurant

Products: L001CW/AA lighting, Jil barstool

## Pedrali Urban Life

Salone Internazionale  
del Mobile 2016  
Milan, Italy

Project: Exhibition stand  
Architect: Migliorini Servetto Architects  
Products: L001 CW/A and L001 CW/B  
lighting, Social and Social Plus modular  
seatings, Incix table, Malmö coffee table,  
Stylus table, Babia barstool



## Chromavis Fareva

Cremona, Italy

Project: Company canteen  
Products: L001S/BA lighting,  
Ariki-table, Ingla side chair





## Pedrali Urban Life

Salone Internazionale  
del Mobile 2016  
Milan, Italy

**Project:** Exhibition stand

**Architect:** Migliore+Servetto Architects

**Products:** L001W90/A Lighting, Modus  
modular seating, Inox table, Tivoli side chair  
and armchair, Malmö side chair and armchair,  
Ester side chair and armchair

## Pedrali Flying Boxes

Salone Internazionale  
del Mobile 2014  
Milano, Italy

**Project:** Exhibition stand

**Architect:** Migliore+Servetto Architects

**Product:** L001S/A Lighting,

Brena barstool



**L001S/A**

Suspension lamp with polycarbonate diffuser

**L001S/B**

Suspension lamp with polycarbonate diffuser

**L001SW/A**

Suspension lamp with polycarbonate diffuser

**L001SW/B**

Suspension lamp with polycarbonate diffuser

**L001S/AA\* (A+A)**

Suspension lamp with two polycarbonate diffusers

**L001S/BB\* (B+B)**

Suspension lamp with two polycarbonate diffusers

**L001SW/AA\* (A+A)**

Suspension lamp with two polycarbonate diffusers

**L001S/BA\* (B+A)**

Suspension lamp with two polycarbonate diffusers

**L001SW/BA\* (B+A)**

Suspension lamp with two polycarbonate diffusers



\*Inner diffuser = colour B only / Diffusore interno = solo colore B

## ceiling rose / rasone



## electrical features / caratteristiche elettriche

- **L001S Light:** MAX 1X75W E27 220-240V 50-60 Hz IP20 Class I
- **L001SW Light:** MAX 1X23W E27 220-240V 50-60 Hz IP20 Class II

Light bulb excluded / Lampadina esclusa

## CERTIFICATES / CERTIFICAZIONI

L001S  
IEC 60598-2-1:1979 (First Edition) + A1:1987 used in conjunction with IEC 60581:2014, A VDS 2217  
EN 60598-2-1:1988 used in conjunction with EN 60588-1:2013 + A1:2014 (first part) + 000508:18  
EN 60598-2-1:2015 (AMD1) 1887 used in conjunction with IEC 60581:2014, AMD1:2017  
EN 60588-1:1988 used in conjunction with EN 60588-1:2013 + A1: 2014 (first part) + 000508:18

L001SW  
IEC 60598-2-1:1979 (First Edition) + A1:1987 used in conjunction with IEC 60581:2014 (first edition)  
EN 60598-2-1:1988 used in conjunction with EN 60588-1:2013 + A1:2014 (first part)  
IEC 60588-1:1988 (Third Edition) + A1:1987 used in conjunction with IEC 60581:2014 (first edition)  
EN 60588-1:1988 used in conjunction with EN 60588-1:2013 (first part) + 2014 (first edition)





**L001CW/A\_3, 6, 8**

Suspension lamp with polycarbonate diffuser, cable length 3000, 6000, 8000 mm, with 2, 4, 5 cable clamp

**L001CW/B\_3, 6, 8**

Suspension lamp with polycarbonate diffuser, cable length 3000, 6000, 8000 mm, with 2, 4, 5 cable clamp

**L001CW/AA\*\_3, 6, 8**

Suspension lamp with polycarbonate diffuser, cable length 3000, 6000, 8000 mm, with 2, 4, 5 cable clamp

**L001CW/BA\*\_3, 6, 8**

Suspension lamp with polycarbonate diffuser, cable length 3000, 6000, 8000 mm, with 2, 4, 5 cable clamp



\*Inner diffuser = colour B! only / Diffusore interno = solo colore B!

## FINISHES / FINITURE

cable clamp / fissacavo



**NEF**  
Mat. black  
Nero opaco

electrical features / caratteristiche elettriche

- **L001CW Light:** MAX 1X23WE27 220-240V 50-60Hz IP20 Class II

Light bulb excluded / Lampadina esclusa

## CERTIFICATES / CERTIFICAZIONI

L001CW  
IEC 60598-2-2:1989 (first 3 editions) + A1:1987 used in conjunction with IEC 60598-1:2014 (lighting fixture)  
EN 60598-2-1:1989 used in conjunction with EN 60598-1:2015 (test report N°0104CE10-ev1)  
IEC 60598-2-1:1989 (second 3 editions) + A1:1987 used in conjunction with IEC 60598-1:2014 (lighting fixture)  
EN 60598-2-1:1989 (second 3 editions) + A1:1987 used in conjunction with IEC 60598-1:2015 (test report N°0104CE10-ev1)

**L001TA/A**

Table lamp, steel frame, polycarbonate diffuser

**L001TA/AA\* (A+A)**

Table lamp, steel frame, two polycarbonate diffusers



\*Inner diffuser = colour B! only / Diffusore interno = solo colore B!

## FINISHES / FINITURE

steel base / base in acciaio



**\_B100**  
White  
Bianco



**\_NERO**  
Black  
Nero

electrical features / caratteristiche elettriche

- **L001TA Light:** MAX 1X100W E27 220-240V 50-60Hz IP20 Class II

Light bulb included / Lampadina inclusa

## CERTIFICATES / CERTIFICAZIONI

IEC 60598-2-4:2017 used in conjunction with IEC 60598-1:2014 (AMD1:2017)  
EN 60598-2-4:2017 used in conjunction with EN 60598-1:2015 + A1:2016 (test report N°0018 CE10)  
IEC 60598-2-4:2017 (second 3 editions) + A1:2016 used in conjunction with IEC 60598-1:2014 (AMD1:2017)  
EN 60598-2-4:2017 (second 3 editions) + A1:2016 used in conjunction with IEC 60598-1:2015 (test report N°0018 CE10)



**L001W20/A**

Wall lamp with visible black cable, matt steel frame, polycarbonate diffuser

**L001W40/A**

Wall lamp with visible black cable, matt steel frame, polycarbonate diffuser

**L001W90/A**

Wall lamp with visible black cable, matt steel frame, polycarbonate diffuser

**L001W20/AA\* (A+A)**

Wall lamp with visible black cable, matt steel frame, polycarbonate diffusers

**L001W40/AA\* (A+A)**

Wall lamp with visible black cable, matt steel frame, polycarbonate diffusers

**L001W90/AA\* (A+A)**

Wall lamp with visible black cable, matt steel frame, polycarbonate diffusers

**L001W40/B**

Wall lamp with visible black cable, matt steel frame, polycarbonate diffuser

**L001W90/B**

Wall lamp with visible black cable, matt steel frame, polycarbonate diffuser

**L001W40/BA\* (B+A)**

Wall lamp with visible black cable, matt steel frame, polycarbonate diffuser

**L001W90/BA\* (B+A)**

Wall lamp with visible black cable, matt steel frame, polycarbonate diffuser



\*Inner diffuser = colour B only  
Diffusore interno = solo colore B!

## cable clamp / fissacavo



NEF  
Matt black  
Nero opaco

## frame / struttura



NEF  
Matt black  
Nero opaco

DA  
Antique brass  
Ottone antichato

## electrical features / caratteristiche elettriche

- L001W Light: MAX 1x23W E27 220-240V 50-60 Hz IP20 Class II

Light bulb excluded / Lampadina esclusa

## CERTIFICATES / CERTIFICAZIONI

IEC 60598-2-1:1979 (First Edition) + A1:1987 used in conjunction with IEC 60598-1:2014 (Fourth Edition)  
EN 60598-2-1:1979 used in conjunction with EN 60598-1:2014 (First Edition)  
IEC 60598-2-1:1979 (First Edition) + A1:1987 used in conjunction with IEC 60598-1:2014 (Fourth Edition)  
EN 60598-2-1:1979 used in conjunction with EN 60598-1:2014 (First Edition)



## SIZES / DIMENSIONI

## L001ST/B

Floor lamp, steel frame,  
polycarbonate diffuser



## L001ST/BA\* (B+A)

Floor lamp, steel frame,  
two polycarbonate diffusers



## FINISHES / FINITURE

\*Inner diffuser = colour BI only  
Diffusore interno = solo colore BI

steel base / base in acciaio



\_BI300  
White  
Bianco

\_NERO  
Black  
Nero

\_BE200  
Beige  
Beige

\_OA  
Antique brass  
Cottone scuro

electrical features / caratteristiche elettriche

- L001ST Light: MAX 1X100W E27 220-240V 50-60 Hz IP20 Class II

Light bulb included / Lampadina inclusa

## CERTIFICATES / CERTIFICAZIONI

IEC 60598-2-4:2017 used in conjunction with IEC 60598-1:2014, AMCI:2017  
EN 60598-2-4:2017 used in conjunction with EN 60598-1:2014, A1:2018 (test report N°0018CE119)  
IEC 60598-2-4:2017 used in conjunction with IEC 60598-1:2014, AMCI:2017  
EN 60598-2-4:2017 used in conjunction with EN 60598-1:2014, A1:2018 (test report N°0018CE119)



## SIZES / DIMENSIONI

## L001T/B

Floor lamp version with a steel base,  
polycarbonate diffuser, foot pedal to switch on



## L001T/BA\* (B+A)

Floor lamp version with a steel base, two  
polycarbonate diffusers, foot pedal to switch on



\*Inner diffuser = colour BI only  
Diffusore interno = solo colore BI

## FINISHES / FINITURE

steel base / base in acciaio



\_BI300  
White  
Bianco

\_NERO  
Black  
Nero

electrical features / caratteristiche elettriche

- L001T Light: MAX 1X100W E27 220-240V 50-60 Hz IP20 Class I

Light bulb excluded / Lampadina esclusa

## CERTIFICATES / CERTIFICAZIONI

IEC 60598-2-4:2017 used in conjunction with IEC 60598-1:2014, AMCI:2017  
EN 60598-2-4:2017 used in conjunction with EN 60598-1:2014, A1:2018 (test report N°0018CE119)  
IEC 60598-2-4:2017 used in conjunction with IEC 60598-1:2014, AMCI:2017  
EN 60598-2-4:2017 used in conjunction with EN 60598-1:2014, A1:2018 (test report N°0018CE119)




FINISHES / FINITURE

---


polycarbonate diffuser / diffusore in policarbonato

---

transparent / trasparente



solid colour



soft-touch coated / verniciato finitura soft-touch

---



# L002

## Lighting time

DESIGN

Alberto Basaglia - Natalia Rota Nodari, 2011

**EN** — Distinguished by soft and sinuous shapes, the L002 collection is the result of combining two moulded polycarbonate shells. The inner shell diffuses the light and hides the bulb, while the outer diffuser comes in different colours.

**IT** — Caratterizzata da forme morbide e sinuose, la collezione L002 nasce dall'unione di due gusci in policarbonato stampato. Il guscio interno diffonde la luce nascondendo la lampadina; quello esterno può essere in diversi colori.











## Lighting Lampada



Polycarbonate diffusers  
with a glossy finish  
Diffusori in policarbonato  
bianco lucido




L0025/BA



Stainless steel  
pendent cable  
and transparent  
electric cable  
Cavo in acciaio  
pendente con cavo  
elettrico trasparente







Steel structure,  
matt finish  
Struttura in acciaio,  
finitura opaca

L002ST/BA







## Private house

Milan, Italy

Project: Private house

Products: L0021/BA and L0025T lighting;

Noa side chair, Arki-Table



## #pedralitales

Antwerp, Belgium

Project: 2021 ADV campaign

Products: L00257/BA lighting, Buddy sofa and pouf, Ekume lounge armchair and coffee table

## Transparent atmospheres

IMM 2018  
Cologne, Germany

Project: Exhibition stand

Architect: CalafonBrambilla

Products: L0025W/BA lighting

Arki-Table, Nym side chair and armchair





## Private office

Bergamo, Italy

Project: Office  
 Products: L002S/BA lighting,  
 Host modular seating,  
 Noa side chair

## SIZES / DIMENSIONI

### L002S/BA

Suspension lamp with  
 two polycarbonate diffusers



### L002SW/BA

Suspension lamp with two  
 polycarbonate diffusers



inner diffuser = colour BI only / Diffusore interno = solo colore BI

## FINISHES / FINITURE

ceiling rose / rosone



RB

RN

electrical features / caratteristiche elettriche

- Light L002S: MAX 1x75W E27 220-240V 50-60Hz IP20 Class I
- Light L002SW: MAX 1x23W E27 220-240V 50-60 Hz IP20 Class II

Light bulb excluded / Lampadina esclusa

## CERTIFICATES / CERTIFICAZIONI

L002S  
 IEC 60598-2-1:1979, AMD1:1987 used in conjunction with IEC 60598-1:2014, A VDS 2017  
 EN 60598-2-1:1988 used in conjunction with EN 60598-1:2013 + A1:2014 (test report N° 000508118)  
 EC 00058-2-1:2015 (AMD1:1987) used in conjunction with EN 60598-1:2014, AMD1:2017  
 EN 60598-2-1:1988 used in conjunction with EN 60598-1:2013 + A1: 2014 (test report N° 000508118)

L002SW  
 IEC 60598-2-1:1979 (First Edition) + A1:1987 used in conjunction with IEC 60598-1:2014 (Second Edition)  
 EN 60598-2-1:1988 used in conjunction with EN 60598-1:2013 (First Edition) + A1:2014 (Second Edition)  
 EC 00058-2-1:1979 (First Edition) + A1:1987 used in conjunction with IEC 60598-1:2014 (Second Edition)  
 EN 60598-2-1:1988 used in conjunction with EN 60598-1:2013 (First Edition) + A1:2014 (Second Edition)



**L002CW/BA\_3, 6, 8**

Suspension lamp with two polycarbonate diffusers, cable length 3000, 6000, 8000 mm, with 2, 4, 5 cable clamp



Inner diffuser = colour BI only / Diffusore interno = solo colore BI

## FINISHES / FINITURE

cable clamp / fissacavo



**NEF**  
Matt black  
Nero opaco

electrical features / caratteristiche elettriche

- Light L002CW: MAX 1x23W E27 220-240V 50-60Hz IP20 Class II

Light bulb excluded / Lampadine escluse

## CERTIFICATES / CERTIFICAZIONI


L002CW  
IEC 60598-2-1:1979 (First Edition) + A1:1987 used in conjunction with IEC 60598-1:2014 (Sixth Edition)  
EN 60598-2-1:1989 used in conjunction with EN 60598-1:2015 (Sixth Edition) + A1:2014 (Sixth Edition)  
IEC 60598-2-1:1979 (First Edition) + A1:1987 used in conjunction with IEC 60598-1:2014 (Sixth Edition)  
EN 60598-2-1:1989 used in conjunction with EN 60598-1:2015 (Sixth Edition) + A1:2014 (Sixth Edition)

**L002W40/BA**

Wall lamp with visible black cable and steel frame in matt finish, two polycarbonate diffusers

**L002W90/BA**

Wall lamp with visible black cable and steel frame in matt finish, two polycarbonate diffusers



Inner diffuser = colour BI only / Diffusore interno = solo colore BI

## FINISHES / FINITURE

cable clamp / fissacavo



**NEF**  
Matt black  
Nero opaco

electrical features / caratteristiche elettriche

- Light L002W: MAX 1x23W E27 220-240V 50-60 Hz IP20 Class II

Light bulb excluded / Lampadine escluse

steel frame / struttura in acciaio



**NEF**  
Matt black  
Nero opaco

**OA**  
Antique brass  
Cromo antichizzato

## CERTIFICATES / CERTIFICAZIONI


IEC 60598-2-1:1979 (First Edition) + A1:1987 used in conjunction with IEC 60598-1:2014 (Sixth Edition)  
EN 60598-2-1:1989 used in conjunction with EN 60598-1:2015 (Sixth Edition) + A1:2014 (Sixth Edition)  
IEC 60598-2-1:1979 (First Edition) + A1:1987 used in conjunction with IEC 60598-1:2014 (Sixth Edition)  
EN 60598-2-1:1989 used in conjunction with EN 60598-1:2015 (Sixth Edition) + A1:2014 (Sixth Edition)





## L002T/BA

Polycarbonate diffuser, steel frame



## L002ST/BA

Two polycarbonate diffusers, steel frame



## FINISHES / FINITURE

steel base / base in acciaio

\_BI300  
White  
bianco\_NERO  
Black  
nero\_LA  
Antique brass  
Cromo oro  
L002ST/BA  
only

electrical features / caratteristiche elettriche

- Light L002T: MAX 1X1 00WEZ7 220-240V 50-60Hz IP20 (Class I)  
Light bulb excluded / Lampadine escluse
- Light L002ST: MAX 1X1 00WE97 220-240V 50-60Hz IP20 (Class I)  
Light bulb included / Lampadina inclusa

## CERTIFICATES / CERTIFICAZIONI

L002T  
IEC 60598-2-4:2017 used in conjunction with IEC 60598-1:2014, AM01:2017  
EN 60598-2-4:2018 used in conjunction with EN 60598-1:2015 + A1:2018 (last report N°0007C13)  
IEC 60598-2-4:2017 used in conjunction with EN 60598-1:2015 + A1:2018 (last report N°0007C13)  
EN 60598-2-4:2018 used in conjunction with EN 60598-1:2015 + A1:2018 (last report N°0007C13)

L002ST  
IEC 60598-2-4:2017 used in conjunction with IEC 60598-1:2014, AM01:2017  
EN 60598-2-4:2018 used in conjunction with EN 60598-1:2015 + A1:2018 (last report N°0006C18)  
IEC 60598-2-4:2017 used in conjunction with EN 60598-1:2015 + A1:2018 (last report N°0006C18)  
EN 60598-2-4:2018 used in conjunction with EN 60598-1:2015 + A1:2018 (last report N°0006C18)



polycarbonate diffuser / diffusore in policarbonato

transparent / trasparente



TR

RT

solid colour



NS

BI

soft-touch coated / verniciato finitura soft-touch



GA

# L004

## Lighting time

DESIGN  
Alberto Basaglia - Natalia Rota Nodari, 2014

EN — L004 is a natural development of model L002. The outer diffuser vanishes showing the sinuous outlines of the inner diffuser in moulded polycarbonate. Defined by soft sleek lines, the collection consists of suspension lamps.

IT — L004 nasce da un'evoluzione naturale di L002. Il guscio esterno scompare a scoprire le linee sinuose del diffusore interno in policarbonato stampato. Caratterizzata da morbidezza e sinuosità, la collezione si compone di lampade a sospensione.

EATING



Lighting: lampade L004S/A  
Chair sedia Brena  
Table tavolo Fabrizioo  
Bar stool sgabello Brena



Lighting lampada L0045W/A  
Chair sedia Frida  
Table tavolo Inox



## Lighting

### Lampada





Visible cable and matt  
painted metal frame  
available in two sizes  
Cavo a vista e braccio  
in metallo verniciato  
opaco in due dimensioni



## Transparent atmospheres

IMM 2018  
Cologne, Germany

Project: Exhibition stand

Architect: CalviBrambilla

Products: L004SW/A lighting, Sabila armchair and table, Sabila Comfort lounge armchair, Malmö coffee table, Fox armchair



## **Ironc Office**

Orgatec 2016  
Cologne, Germany

Project: Exhibition stand  
Architect: CaviBrambilla  
Products: L004S/A lighting,  
Arki-Table, Dome side chair







## Private house

Desenzano del Garda, Italy

Project: Private house

Products: L004SW/A lighting,  
Babila side chair, Ikon Big table

## Industrial Symphony

Pedrali Headquarters,  
Mornico al Serio, Italy

Project: Showroom

Architect: CalabiBrambilla

Products: L004SW/A lighting,  
Anki-Table, Laja Wings armchair,  
Vicam chair, Ikon table





**L004S/A**

Polycarbonate diffuser,  
white ceiling rose transparent cable

**L004S/W/A**

Polycarbonate diffuser,  
black ceiling rose and cable



## FINISHES / FINITURE

ceiling rose / rosone



RB



RN

electrical features / caratteristiche elettriche

- Light L004S: MAX 1x75W E27 50-60Hz 220-240V IP20 Classe I
- Light L004S/W: MAX 1x75W E27 220-240V IP20 Class II

Light bulb excluded / Lampadina esclusa

## CERTIFICATES / CERTIFICAZIONI

L004S  
IEC 60598-2-1:1979, A MD1:1987 used in conjunction with IEC 60598-1:2014, A MD1:2017  
EN 60598-2-1:1979 used in conjunction with EN 60598-1:2015, A1:2018 (first report N°0000CE19)  
IEC 60598-2-1:1979, A MD1:1987 used in conjunction with IEC 60598-1:2014, A MD1:2017  
EN 60598-2-1:1979 used in conjunction with EN 60598-1:2015, A1:2018 (first report N°0000CE19)



L004S/W  
IEC 60598-2-1:1979 (First Edition) + A1:1987 used in conjunction with IEC 60598-1:2014 (English Edition)  
EN 60598-2-1:1979 used in conjunction with EN 60598-1:2015 (first report N°0000CE19)  
IEC 60598-2-1:1979, A MD1:1987 used in conjunction with IEC 60598-1:2014, A MD1:2017  
EN 60598-2-1:1979 used in conjunction with EN 60598-1:2015, A1:2018 (first report N°0000CE19)

**L004CW/A\_3/6/8**

Suspension lamp with two  
polycarbonate diffusers, cable  
length 3000, 6000, 8000 mm,  
with 2, 4, 5 cable clamp



## FINISHES / FINITURE

cable clamp / fissaggio



NEF  
Mat: black  
Fissaggio

electrical features / caratteristiche elettriche

- Light L004CW: MAX 1x23W E27 220-240V IP20 Class II

Light bulb excluded / Lampadina esclusa

## CERTIFICATES / CERTIFICAZIONI

IEC 60598-2-1:1979 (First Edition) + A1:1987 used in conjunction with IEC 60598-1:2014 (English Edition)  
EN 60598-2-1:1979 used in conjunction with EN 60598-1:2015 (first report N°0000CE19)  
IEC 60598-2-1:1979, A MD1:1987 used in conjunction with IEC 60598-1:2014, A MD1:2017  
EN 60598-2-1:1979 used in conjunction with EN 60598-1:2015, A1:2018 (first report N°0000CE19)



SIZES / DIMENSIONI

**L004W40/A**

Wall applique version, visible black cable and powder-coated steel frame in matt finish



**L004W90/A**

Wall applique version, visible black cable and powder-coated steel frame in matt finish



FINISHES / FINITURE

cable clamp / fissacavo



NEF  
Matt black  
Nero opaco

steel frame / struttura in acciaio



\_OA  
Antique brass  
Ottone anticato

NEF  
Matt black  
Nero opaco

electrical features / caratteristiche elettriche

- Light L004W: MAX1x23W E27 230-240V 50-60Hz IP20 Class II

Light bulb excluded / Lampadina esclusa

CERTIFICATES / CERTIFICAZIONI

IEC 60598-2-1:1979 (First Edition) + A1:1987 used in conjunction with IEC 60598-1:2014 (Fourth Edition)  
EN 60598-2-1:1988 based on agreement with EN 60598-2:2015 (and report 10184/12/14en4)  
IEC 62573-2:11579 (First Edition) + A1:1987 used in conjunction with IEC 62573-1:2014 (Second Edition)  
EN 62573-2-1:1986 used in conjunction with IEC 62573-1:2014 (and report 10184/12/14en4)



FINISHES / FINITURE

polycarbonate diffuser / diffusore in policarbonato

soft-touch coated / verniciato finitura soft-touch



BE

GA

RM

NS

VE

# Time Out

Soft atmosphere

DESIGN

Alberto Basaglia - Natalia Rota Nodari, 2011

EN — Time Out is a floor lamp in polyethylene designed to illuminate gardens, terraces and outdoor spaces. Simple and well-made, its archetyp design offers practical handling. Time Out is particularly suitable for valorizing contemporary or classic environments.

IT — Time Out è una lampada da terra in polietilene stampato pensata per illuminare giardini, terrazze e zone outdoor. Pratica da movimentare, grazie alla sua forma archetipica, Time Out è particolarmente adatta per inserirsi in ambienti contemporanei o classici.



Lighting  
Lampada



Floor lamp in rotational  
moulded polyethylene  
La lampada terra in polietilene  
stampato in rotazione

T\_OUT/BL\_LUCE



## Touchpoint Co-Design experiments

La Triennale di Milano, Italy

Project: Temporary conference room

Products: Time Out lighting,  
Happy Apple lighting, Giravolta lighting,  
Ara Lounge armchair, Noita table

## Landscape Festival

I Maestri del Paesaggio 2022  
Bergamo, Italy

Project: Outdoor

Products: Time Out lighting, Giravolta lighting,  
Tribecca barstool, E'Illo! poseur table, Oblique bar counter



## Temporary installation

Brescia, Italy

Project: Temporary installation

Products: Time Out lighting,  
Ikou table, Plus armchair,  
Plus Air lounge armchair and sofa



## Private house

Bergamo, Italy

Project: Outdoor  
 Products: Time Out lighting,  
 Teris bar counter, Kadu pot

### SIZES / DIMENSIONI

#### T\_OUT/BI\_LUCE

Polyethylene lighting

#### T\_OUT\_FIX

Floor fixing kit



### FINISHES / FINITURE

polyethylene / polietilene



electrical features / caratteristiche elettriche



BI

• Light: MAX 2x27W E27 220-240V 50/60Hz IP44 Class II

Lighting kit included / Kit di illuminazione compreso

### CERTIFICATES / CERTIFICAZIONI

IEC 60598-2-4:1997 and its amendments with EC 60598-1:2008 (A11:2009)  
 EN 60598-2-8:1997 and its amendments with EN 60598-1:2008 (A11:2009) (Part 8) (EN 60598-2-8:2009)  
 EC 60335-2-4:1997 and its amendments with IEC 60335-1:2008 (M1:2009)  
 EN 60598-2-4:1997 and its amendments with IEC 60598-1:2008 (A11:2009) (Part 8) (EN 60598-2-8:2009)



# Happy Apple

## Lighting temptation

DESIGN

Alberto Basaglia - Natalia Rota Nodari, 2012

en — Happy Apple is a collection of lamps made-up of polyethylene lighting body that perfectly fits both indoor and outdoor use. Multipurpose and versatile, it can be a suspension lamp, a floor lamp or an applique.

it — Happy Apple è una collezione di lampade realizzata con corpo illuminante in polietilene che si adatta perfettamente sia all'uso interno sia alla collocazione outdoor. Polivalente e versatile, può essere una lampada a sospensione, da terra, oppure un'applique da parete.





Lighting: lampada Happy Apple  
Armchair poltroncino Lounge Log  
Lounge armchair poltroncino Lounge Log  
Tavolo lavoro Arca Table  
Coffee table tavolino Code



## Lighting

### Lampada











## Private house

Brescia, Italy

**Project:** Private house

**Products:** Happy Apple 330E,  
331E, 332E lighting



## Bulgari Hotel Milano

Milan, Italy

**Project:** Temporary installation

**Architect:** Migliare / Sevetta Architects

**Product:** Happy Apple 330E,  
331E, 332E lighting





## Settepertredici

Brescia, Italy

**Project:** Outdoor

**Products:** Happy Apple 33CE, 331E,  
332E lighting, Host lounge seating,  
Igló bar counter, Rubik barstool



## Štravs Gostilna

Šmarje pri Jelšah, Slovenia

**Project:** Restaurant

**Architect:** Ab objekt d.o.o.

**Products:** Happy Apple 330E,  
331E, 332E lighting,

Ikon table, Babila armchair,  
Malmö armchair, Oslaka Metal  
barstool, Gliss lounge armchair



## A Wheel for Pedrali

Salone Internazionale  
del Mobile 2012  
Milan, Italy

**Project:** Exhibition stand  
**Architect:** Miglione-Servetto Architects  
**Products:** Happy Apple S3CE lighting,  
ikon bench modular seating,  
Giravolta lighting, Ara Lounge armchair

## Green Design

Piazza Anteo Lavatoio  
Bergamo, Italy

**Project:** Temporary installation  
**Products:** Happy Apple S3CE lighting,  
ikon bench modular seating,  
Giravolta lighting, Ara Lounge armchair





## SIZES / DIMENSIONI

## 330E

Floor polyethylene lighting for outdoor



Ø 500

## 331E

Floor polyethylene lighting for outdoor



Ø 600

## 332E

Floor polyethylene lighting for outdoor



Ø 1200

Suspension polyethylene lighting for outdoor



Ø 500

Suspension polyethylene lighting for outdoor



Ø 600

## FINISHES / FINITURE

polyethylene  
polietilenecap and handle  
cappo e manigliaelectrical features  
caratteristiche elettriche

- Light:  
MAX 162W E27/220-240V/50/60 Hz IP65 Class II
- Light bulb included / Lampadina inclusa



BI



VE

## CERTIFICATES / CERTIFICAZIONI

330E, 331E, 332E, 330S, 331S  
 IEC 60598-2-1:2017 used in conjunction with IEC 60598-1:2014, AMX 2017  
 EN 60598-2-1:2018 used in conjunction with EN 60598-1:2015 + A1:2019 (last report N°0010CE19)  
 IEC 60598-2-1:2017 used in conjunction with IEC 60598-1:2014, AMX 2017  
 EN 60598-2-1:2018 used in conjunction with EN 60598-1:2015 + A1:2019 (last report N°0010CE19)



## SIZES / DIMENSIONI

## 330

Floor polyethylene lighting



Ø 500

## 331

Floor polyethylene lighting



Ø 600

## 332

Floor polyethylene lighting



Ø 1200

## 330S

Suspension polyethylene lighting



Ø 500

## 331S

Suspension polyethylene lighting



Ø 600

## 330A

Wall/ceiling polyethylene lighting



Ø 500

## FINISHES / FINITURE

polyethylene, cap and handle  
polietilene, tappo e manigliaceiling rose  
rosoneelectrical features  
caratteristiche elettriche

BI



BI

- Light:  
MAX 162W E27/220-240V/50/60 Hz IP20 Class I

Light bulb included / Lampadina inclusa

## CERTIFICATES / CERTIFICAZIONI

330S, 331S  
 IEC 60598-2-1:2017, IMDI 1987 used in conjunction with IEC 60598-1:2014, AMX 2017  
 EN 60598-2-1:2018 used in conjunction with EN 60598-1:2015 + A1:2019 (last report N°0026CE18)  
 IEC 60598-2-1:2017 used in conjunction with IEC 60598-1:2014, AMX 2017  
 EN 60598-2-1:2018 used in conjunction with EN 60598-1:2015 + A1:2019 (last report N°0026CE18)

330A  
 IEC 60598-2-1:2017, IMDI 1987 used in conjunction with IEC 60598-1:2014, AMX 2017  
 EN 60598-2-1:2018 used in conjunction with EN 60598-1:2015 + A1:2019 (last report N°0026CE18)  
 IEC 60598-2-1:2017 used in conjunction with IEC 60598-1:2014, AMX 2017  
 EN 60598-2-1:2018 used in conjunction with EN 60598-1:2015 + A1:2019 (last report N°0026CE18)





Creative & design direction: Leifloft

Print: Hesse Graphic

Copyright © 2023, Pedrali S.p.A. All rights reserved

**Photo credits**

BHM Studio  
Deppe Braccato  
Matteo Pagani  
Ottavia Tomasin  
Andrea Garuti

Chiara Bersoffi  
Elisabetta Brian  
Fabrice Durieu  
Mette Løkke  
Sami Mahdoui

**Thanks to**

Alessi  
Bohem Front  
CC-Topoi  
D&Pestoni  
Interni 8  
L'Avellana  
Marazzi  
Meno Luce Giusti

Mesra  
Moleskine  
Society

**Styling**

Elena Caponi  
Elena Mora  
Sissi Valsassina  
Studio Salerni

Pesi, dimensioni e colori sono indicativi. Pedrali si riserva la facoltà di apportare modifiche migliori senza alcun preavviso. Weights, measurements and colours are indicative. Pedrali reserves the right to modify or upgrade the products without prior notice.

**Industrial property right | Diritto di proprietà industriale**

I contenuti del presente catalogo, quali, ad esempio, le opere, le immagini, le fotografie, i documenti, i disegni, le figure, i loghi ed ogni altro materiale, in qualsiasi formato, pubblicato sono protetti a livello mondiale dal diritto d'autore e da ogni altro diritto di proprietà intellettuale di PEDRALI. The contents of the present catalogue such as, by way of example, the works, the images, the pictures, the documents, the drawings, the forms, the logos and all other materials, published in any format, are worldwide protected by copyright and any other industrial intellectual property right of Pedrali.

